

# RF 24mm f/1.8 MACRO IS STM

---

## TECHNICAL SPECIFICATIONS



**Canon**

# RF 24mm f/1.8 MACRO IS STM

Take the next step with this macro lens



## A VERSATILE LENS YOU CAN TAKE EVERYWHERE WITH YOU

If you're looking to expand beyond the standard zoom kit lens that comes with your camera, the RF 24mm f/1.8 MACRO IS STM is a great place to start. Compared to a standard zoom lens, you'll notice the step up in image quality with the optics optimised for a single focal length. The 24mm wide angle view and 270g lightweight design makes it great for everyday use, whilst also being excellent for close up macro shooting with the large f/1.8 diameter.



## STEADY SHOTS HAND-HELD OR IN LOW LIGHT

Shoot with confidence even when light levels drop. The RF 24mm f/1.8 MACRO IS STM has 5 stops In-lens Image Stabilization and up to 6.5 stops co-ordinated control with an EOS R series camera with In-Body Image Stabilization (IBIS), which helps reduce the effects of camera shake. Have sharp and clear images when shooting handheld.



## GET CLOSE AND SHOW OFF THE INTRICATE DETAILS

Get up close and personal. The RF 24mm f/1.8 MACRO IS STM can focus from a distance of 14cm magnified up to 0.5x - a useful 6cm closer than the RF 24-105 f/4-7.1 standard zoom lens. Handy for more intricate shots like food, flowers and smaller subjects you really want to show off.



## SMOOTH AND QUIET FOCUSING FOR VIDEO AND STILLS

The RF 24mm f/1.8 MACRO IS STM uses a gear-type stepping motor to provide smooth and quiet autofocus, so focusing appears natural and seamless. Have clean transitions when moving between subjects or when focusing from the foreground to background, creating professional looking footage.



**Canon**

# RF 24mm f/1.8 MACRO IS STM | SPECIFICATIONS

RF 24mm f/1.8 MACRO IS STM	
Mount	RF
Focal Length	24mm
Maximum Aperture	f/1.8
Minimum Focusing Distance	0.1m
Maximum Magnification	0.5x
Lens Construction	11 elements in 9 groups
Filter Size Diameter	52mm
Aperture Blades	9 (circular diaphragm)
Image Stabilization	5 stops (In Lens IS) / 6.5 stops (combined with In-Body IS)
Focus Drive System	STM
Dimensions	Approx. 74.4mm x 63.1mm
Weight	Approx. 270g
Lens Hood	EW-65B (not included)
Lens Cap	E-52II (included)
Lens Pouch	LP-1016 (not included)

**Canon**

[www.canon.com.au](http://www.canon.com.au)

[www.canon.co.nz](http://www.canon.co.nz)