

RF-S 55-210mm f/5-7.1 IS STM

TECHNICAL SPECIFICATIONS



Canon

RF-S 55-210mm f/5-7.1 IS STM

Take a step into telephoto shooting



COMPACT TELEPHOTO LENS

Weighing only 270g, the RF-S 55-210mm f/5-7.1 IS STM is a compact and lightweight telephoto lens bringing you closer to the action. It's a great next addition to your kit, covering from everyday snapshots, to sports, wildlife and travel with up to 3.8x times zoom.



STEADY SHOTS HAND-HELD OR IN LOW LIGHT

Shoot with confidence even when light levels drop.

The RF-S 55-210mm f/5-7.1 IS STM has 4.5 stop Image Stabilization and in conjunction with selected EOS R series camera, can achieve up to 7.0 stops coordinated control IS. Shoot handheld in dim light or while using slower shutter speeds without the need of a tripod.



GET CLOSER TO THE DETAILS

As well as an increased focal length at the telephoto end, the RF-S 55-210mm f/5-7.1 IS STM has a minimum focusing distance of 73cm allowing you to use the lens for close up photography to capture beautiful details.



IDEAL FOR VIDEO AND VLOGGING

The RF-S 55-210mm f/5-7.1 IS STM is equipped with a lead-screw type stepping motor (STM) to allow for smooth and quiet autofocus, making a great option for video content. It also works hand-in-hand with cameras equipped with focus breathing correction, allowing you to adjust focus without altering the field of view.



RF-S 55-210mm f/5-7.1 IS STM | SPECIFICATIONS

RF-S 55-210mm f/5-7.1 IS STM	
Mount	RF
Focal Length	55-210mm
Maximum Aperture	f/5-7.1
Minimum Focusing Distance	0.73m (at 210mm)
Maximum Magnification	0.28x (at 210mm)
Lens Construction	11 elements in 8 groups
Filter Size Diameter	55mm
Aperture Blades	7
Image Stabilization	4.5 stops (when using the EOS R) 7.0 stops (when using the EOS R7)
Focus Drive System	STM
Dimensions	69.9 x 92.9mm
Weight	270g
Lens Cap	E-55 (included)
Lens Hood	ET-60B (not included)
Lens Pouch	LP1016 (not included)

Canon

**www.canon.com.au
www.canon.co.nz**